


Insulation products are used in situation where objects have to cool down in a controlled way or to protect (personal) damage from hot objects.








WELDING CUSHION

To protect against injuries through contact with a hot weld and/or for a comfortable working position

| 50 x 50 cm, thickness 8 cm, filled with glass needle mats | 57.51.10.05 |
|---|-------------|
| 100 x 100 cm, thickness 8 cm, filled with glass needle mats | 57.51.10.10 |



PROTECTIVE COVERS & DOOR SLEEVES

Flexible covers and sleeves for protection against welding spatter and grinding sparks, while repairing truck and passenger cars

| Protective cover, 200 x 200 cm, incl. 7 magnets, 550 °C | 59.06.00.0007 |
|---|---------------|
| Door sleeve, 150 x125 cm, 550 °C | 59.06.00.0001 |
| Protective cover, 180 x 200 cm, 1,000 °C | 56.50.95 |



INSULATION SLEEVES

for controlled cooling down of just welded pipes

| 100 x 50 cm, for pipe diameters of max. 28 cm. | 57.50.10.11 |
|--|-------------|
| 150 x 50 cm, for pipe diameters of max. 44 cm. | 57.50.10.12 |
| 200 x 50 cm, for pipe diameters of max, 61 cm. | 57.50.10.13 |





INSULATION BLANKETS

for the controlled cooling down of just welded objects

| 100 x 200 cm, 3 cm | 57.50.23.10 |
|------------------------------|-------------|
| 200 x 200 cm, 3 cm thickness | 57.50.23.20 |
| 100 x 200 cm, 6 cm thickness | 57.50.26.10 |
| 200 x 200 cm, 6 cm thickness | 57.50.26.20 |



FIRE BLANKETS

The fire blankets are used in situations where there is a risk of fire. The fire blankets are folded and stowed away in a strong, striking red PVC bag. The bag is fitted with suspension eyelets and velcro closing which allows for fast opening of the bag.

| Fire blanket 1.800 x 1.200 mm | 53.20.14 |
|-------------------------------|----------|
| Fire blanket 1.800 x 1.500 mm | 53.20.15 |
| Fire blanket 1.800 x 1.800 mm | 53.20.16 |