

▶ **CEPRO WELDING TENTS**

- Approved to the M-1 standard
- PVC fabric 570 gr/m²
- Protection skirt 200mm all-around
- Front and back can be closed with a rope-lock

▶ **CEPRO WELDING TENT CUBE MODEL**

Welding tent cube model 200 x 190cm	91.20.11
Cover welding tent cube model 200 x 190cm	90.20.11
Frame welding tent cube model 200 x 190cm	90.20.02

- Width 190cm
- Depth 200cm
- Height 200cm

- Ridge height 220cm
- Frame Ø 25mm galvanized
- Packing suitable for parcel service



▶ **CEPRO WELDING TENT CUBE MODEL XL**

Welding tent cube model XL 300 x 190cm	91.20.19
Cover welding tent cube model XL 300 x 190cm	90.20.19

- Width 190cm
- Depth 300cm
- Height 200cm

- Ridge height 220cm
- Frame Ø 25mm galvanized
- Packing suitable for parcel service



Extension for standard frame welding tent cube model
300 x 190cm
90.20.09
Only available in combination with article 90.20.02

▶ **CEPRO WELDING TENT HEAVY DUTY MODEL XL**

Welding tent heavy duty XL model 200 x 300cm	91.20.20.3020
Cover welding tent heavy duty XL model 200 x 300cm	90.20.20.3020
Frame welding tent heavy duty XL model 200 x 300cm	on request

- Ridge height 220cm
- Frame Ø 33.7mm galvanized
- Including hoisting loops



▶ **CEPRO WELDING TENT HEAVY DUTY MODEL XXL**

Welding tent heavy duty XXL model 300 x 300cm	91.20.20.3030
Cover welding tent heavy duty XXL model 300 x 300cm	90.20.20.3030
Frame welding tent heavy duty XXL model 300 x 300cm	on request

- Ridge height 220cm
- Frame Ø 33.7mm galvanized
- Including hoisting loops



▶ **CEPRO WELDING UMBRELLAS**

- Flame retardant and water repellent canvas
- Canvas fabric 280 gr/m²
- Colour green
- Carrying bag included
- Windbreaker on the top side

▶ **WELDING UMBRELLA MEDIUM DUTY**

Welding umbrella medium duty Ø 220cm	93.21.20
---	----------

- Ø 220cm
- With tilt mechanism
- 10 ribs, length 110cm

- Mast Ø 28mm
- Mast in 2 parts, total height 220cm
- Ends of the ribs are fitted with caps



▶ **WELDING UMBRELLA HEAVY DUTY**

Welding umbrella heavy duty Ø 300cm	93.71.20
--	----------

- Ø 300cm
- Fitted with crank system
- 8 ribs, length 150cm
- Mast Ø 38mm

- Mast in 2 parts, total height 220cm
- Ends of the ribs are fitted with metal caps
- Groundpin included




Outdoor welding

Heavy Duty working tent & welding tent


- ▶ Modular system
- ▶ Easy to expand
- ▶ Easy to interchange parts
- ▶ Multiple dimensions
- ▶ Galvanized frame




Main features new Heavy Duty working & welding tent



HD welding /working tent (example)
with 2 roofcovers interconnected
with water-repellent zippers



HD welding /working tent (example)
with 4 roofcovers interconnected
with water-repellent zippers



AVAILABLE STANDARD DIMENSIONS

HD welding / working tent 300 cm wide


Art. ref.	Width	Depth	Height
90.41.00.3020	300 cm	200 cm	200 cm / 240 cm
90.41.00.3025	300 cm	250 cm	200 cm / 240 cm
90.41.00.3040	300 cm	400 cm	200 cm / 240 cm
90.41.00.3045	300 cm	450 cm	200 cm / 240 cm
90.41.00.3050	300 cm	500 cm	200 cm / 240 cm
90.41.00.3060	300 cm	600 cm	200 cm / 240 cm
90.41.00.3065	300 cm	650 cm	200 cm / 240 cm
90.41.00.3070	300 cm	700 cm	200 cm / 240 cm
90.41.00.3075	300 cm	750 cm	200 cm / 240 cm
90.41.00.3080	300 cm	800 cm	200 cm / 240 cm

HD welding / working tent 400 cm wide


Art. ref.	Width	Depth	Height
90.41.00.4020	400 cm	200 cm	200 cm / 250 cm
90.41.00.4025	400 cm	250 cm	200 cm / 250 cm
90.41.00.4040	400 cm	400 cm	200 cm / 250 cm
90.41.00.4045	400 cm	450 cm	200 cm / 250 cm
90.41.00.4050	400 cm	500 cm	200 cm / 250 cm
90.41.00.4060	400 cm	600 cm	200 cm / 250 cm
90.41.00.4065	400 cm	650 cm	200 cm / 250 cm
90.41.00.4070	400 cm	700 cm	200 cm / 250 cm
90.41.00.4075	400 cm	750 cm	200 cm / 250 cm
90.41.00.4080	400 cm	800 cm	200 cm / 250 cm

OTHER VERSIONS AND DIMENSIONS
ARE AVAILABLE ON REQUEST.

What is included :



► 2 front covers



► multiple roof covers, depending on the depth



► multiple frames, depending on the depth



► multiple storm straps, depending on the depth

CEPRO International B.V.

Postal adress:

Parallelweg 38
5121 LD Rijen, Nederland

Visiting adress:

Parallelweg 38
5121 LD Rijen, Nederland

Warehouse adress:

Parallelweg 40
5121 LD Rijen, Nederland



www.cephro.eu

Version 21.01.EN

Telephone:

Sales Export
+31 (0)161 23 01 16

Sales Benelux
+31 (0)161 22 64 72

Finance & Administration
+31 (0)161 22 35 11

Warehouse & Logistics
+31 (0)161 23 18 28

E-mail:

General
info@cephro.eu

Sales
sales@cephro.eu

Finance & Administration
fa@cephro.eu

Warehouse & Logistics
logistics@cephro.eu